

Supplementary Materials

The COVID-19 patients and population into 9 age groups were categorized (i.e., 0–9, 10–19, 20–29, 30–39, 40–49, 50–59, 60–69, 70–79, and 80 and above). The calculation of YLL followed the recommendation by the World Health Organization (WHO):

$$YLL = \sum_{i=1}^n (D_i \times L_i) \quad (1)$$

where n denotes the number of age groups, D_i is the number of deaths due to COVID-19 in age group i , and L_i is the life expectancy of age group i .

According to equation 1 and the age groups we defined, we developed the calculation of YLL per 100,000 COVID-19 patients and per 100,000 people as follows:

$$YLL \text{ per } 100,000 \text{ patients} = \sum_{i=1}^9 (p_i \times 100,000 \times \mu_i \times L_i) \quad (2)$$

$$YLL \text{ per } 100,000 \text{ people} = \sum_{i=1}^9 (P_i \times 100,000 \times \mu_i \times L_i) \quad (3)$$

where μ_i denotes the mortality rate in age group i due to COVID-19; p_i denotes the proportion of COVID-19 patients in age group i among patients of all age groups; P_i denotes the probability of COVID-19 cases in age group i , which was calculated as the quotient of the number of cases and the number of people in group i . Standard errors were estimated using Monte Carlo simulation with 1,000 repetitions (1–2).

We assumed that the death events were uniformly distributed within each age group, so that we were able to approximate the YLL of each group by multiplying the number of deaths and the life expectancy of the median age of the group (e.g., the life expectancy of age 4.5 represented the mean life expectancy of group 0–9). The life expectancy of different ages was from the WHO country-specific lifetables (3). The demographic data of different countries were from the United Nations World Population Prospects in 2019 (4). We collected data on COVID-19 cases, deaths, and their age distributions from January 1, 2020 to March 27, 2021, using data from WHO and corresponding countries and regions (5–7). We used Microsoft Excel 2016 (Microsoft Corporation, United States, North America) and Oracle Crystal Ball (version 11.1.1 Oracle Corporation, United States, North America) for analysis and Monte Carlo simulation.

We included countries with age-specific data available on the incidence and mortality of COVID-19 as of March 2021. When the data on the age distribution of COVID-19 cases and deaths exactly as of March 27, 2021, were not available, the information with the closest time stamp was carried forward. Due to the lack of information, the age distributions of confirmed cases in the UK were imputed using the pooled data of England and Scotland. When the age groups of the source data in a certain country were not defined coherently with the present analysis, they were mapped to the age groups defined in the present study by assuming a uniform distribution of cases within each age group in the source data. Data on the age distribution of the general population and the life expectancy of included countries were retrieved from PopulationPyramid.net, government websites, and WHO (1–2). Two analysts collected the data independently and cross-checked the data.


We developed secondary outcomes using primary outcomes such as deaths, YLL per 100,000 people, and YLL per 100,000 patients. By dividing YLL per 100,000 patients and deaths per 100,000 patients, we derived YLL per dead patient, indicating the average YLL for every death caused by COVID-19. The 95% confidence interval of YLL per dead patient was calculated by simulating the numerator and denominator simultaneously using Monte Carlo simulation 1,000 times. Moreover, we categorized the countries into eight regions: East Asia, Southeast Asia, South Asia, West Asia, Europe, North America, South America, and Oceania. We derived regional YLL outcomes by combining the results of countries in the same region. We extracted the data on COVID-19 cases and deaths from the sources listed Supplementary Table S1.

SUPPLEMENTARY TABLE S1. Data sources for COVID-19 cases and deaths in different countries.

Country/Region	Diagnosis	Death	Data reference
China	90,167	4,636	(8,9)
Italy	3,488,619	107,256	(10)
Republic of Korea	101,757	1,722	(11)
Spain	3,247,738	74,420	(12)
Germany	2,755,225	75,780	(13)

TABLE S1. (Continued)

Country/Region	Diagnosis	Death	Data reference
United States	29,859,706	543,003	(14,15)
Sweden	780,018	13,402	(16)
Norway	90,934	656	(17)
Australia	29,071	909	(18)
Canada	961,083	22,852	(19)
Singapore	60,288	30	(20,21)
Denmark	220,459	2,391	(22)
Japan	462,459	9,028	(23)
Portugal	820,042	16,827	(22)
Netherlands	1,236,209	16,421	(24)
Switzerland	592,090	9,631	(25)
Mexico	2,224,261	200,862	(22)
Vietnam	2,590	35	(22)
The Philippines	712,442	13,159	(22)
Bangladesh	591,214	8,878	(22)
Indonesia	1,494,589	40,449	(22)
Belgium	866,063	22,870	(26)
Austria	526,948	8,968	(22)
Chile	969,913	22,653	(22)
Peru	1,512,384	51,032	(22)
Israel	649,824	14,158	(27)
Finland	831,084	6,165	(22)
Pakistan	75,973	845	(22)
Argentina	2,375,591	62,790	(22)
Colombia	2,301,389	55,368	(22)
Jordan	582,133	6,472	(22)
Ireland	234,556	4,653	(28)
New Zealand	2,482	26	(29)
Slovenia	210,787	4,296	(30)



SUPPLEMENTARY FIGURE S1. Deaths and years of life lost for every 100,000 COVID patients.

SUPPLEMENTARY TABLE S2. COVID-19 cases, deaths, and years of life lost for every 100,000 people by country.

Country	Cases per 100,000 people	95% CI lower	95% CI upper	Deaths per 100,000 people	95% CI lower	95% CI upper	YLL per 100,000 people	95% CI lower	95% CI upper
Argentina	5,092	5,086	5,098	123	121	123	1,783.8	1,766.1	1,800.3
Australia	114	113	115	4	3	4	32.1	29.7	34.5
Austria	5,851	5,836	5,867	100	98	102	947.1	926.5	970.6
Bangladesh	359	358	360	5	5	5	106.0	103.4	108.2
Belgium	7,473	7,457	7,489	197	195	200	1,906.7	1,877.9	1,936.0
Canada	2,546	2,541	2,551	61	60	61	630.1	620.5	639.5
Chile	5,074	5,063	5,083	119	117	120	1,859.7	1,832.2	1,889.8
China	6	6	6	0	0	0	4.8	4.6	4.9
Colombia	4,669	4,663	4,675	123	122	124	1,573.0	1,556.9	1,588.2
Denmark	3,806	3,790	3,821	41	40	43	377.8	361.7	396.0
Finland	1,371	1,361	1,380	15	14	16	151.3	138.0	163.5
Germany	3,288	3,285	3,292	90	90	91	1,017.7	1,008.7	1,025.7
Indonesia	546	546	547	15	15	15	288.2	284.4	290.9
Ireland	4,750	4,731	4,769	94	91	97	953.9	917.3	989.8
Israel	9,602	9,581	9,620	71	70	73	989.3	960.5	1,018.8
Italy	5,770	5,764	5,776	177	176	178	1,836.7	1,824.1	1,850.2
Japan	366	365	367	7	7	7	77.8	76.1	79.6
Jordan	5,705	5,691	5,721	63	62	65	1,064.2	1,036.0	1,093.9
Mexico	1,725	1,723	1,727	156	155	156	3,099.2	3,083.4	3,114.2
Netherlands	7,215	7,202	7,227	96	94	97	876.6	862.0	893.1
New Zealand	51	49	54	1	0	1	6.6	3.7	9.5
Norway	1,677	1,667	1,688	12	11	13	123.9	112.7	135.7
Pakistan	294	293	295	6	6	7	118.3	115.4	120.0
Peru	4,587	4,581	4,596	155	154	156	3,211.1	3,181.2	3,243.4
The Philippines	650	649	652	12	12	12	205.5	201.1	209.6
Portugal	8,042	8,025	8,060	165	163	168	1,610.7	1,582.3	1,640.7
Singapore	1,031	1,023	1,038	1	0	1	8.2	4.7	11.6
Slovenia	10,139	10,099	10,180	207	201	213	2,016.1	1,942.6	2,086.2
Republic of Korea	198	197	200	3	3	4	39.4	36.9	41.3
Spain	6,946	6,939	6,953	159	158	160	1,704.2	1,690.2	1,718.6
Sweden	7,724	7,706	7,740	133	131	135	1,195.5	1,169.0	1,219.0
Switzerland	6,841	6,825	6,859	111	109	113	1,015.9	991.6	1,039.7
United States	9,021	9,018	9,024	164	164	164	2,189.6	2,182.7	2,196.3
Vietnam	3	3	3	0	0	0	0.7	0.4	0.9

Note: "Lower" means the lower bound of confidence interval (CI); "upper" means the upper bound of CI.
Abbreviations: 95% CI=95% confidence interval; YLL=years of life lost

SUPPLEMENTARY TABLE S3. Deaths and years of life lost per 100,000 COVID-19 patients by country and years of life lost per death caused by COVID.

Country	Deaths per 100,000 patients	95% CI lower	95% CI upper	YLL per 100,000 patients	95% CI lower	95% CI upper	YLL per death for patients	95% CI lower	95% CI upper
Argentina	2,406	2,387	2,425	35,032	34,688	35,383	14.56	14.41	14.71
Australia	3,127	2,956	3,305	28,166	26,239	30,047	9.01	8.32	9.65
Austria	1,702	1,670	1,734	16,188	15,813	16,559	9.51	9.26	9.76
Bangladesh	1,502	1,472	1,531	29,522	28,779	30,195	19.66	19.14	20.17
Belgium	2,641	2,609	2,672	25,515	25,131	25,897	9.66	9.50	9.80
Canada	2,378	2,349	2,406	24,743	24,397	25,123	10.41	10.25	10.57
Chile	2,336	2,309	2,362	36,654	36,063	37,211	15.69	15.45	15.95
China	5,142	5,014	5,277	76,266	73,865	78,905	14.83	14.31	15.41
Colombia	2,643	2,622	2,662	33,692	33,366	33,982	12.75	12.63	12.88
Denmark	1,085	1,045	1,125	9,926	9,482	10,390	9.15	8.69	9.62
Finland	1,112	1,043	1,180	11,036	10,148	11,888	9.92	9.15	10.80
Germany	2,750	2,733	2,768	30,947	30,723	31,201	11.25	11.15	11.35
Indonesia	2,706	2,678	2,732	52,736	52,086	53,265	19.49	19.23	19.73
Ireland	1,984	1,930	2,038	20,080	19,409	20,814	10.12	9.74	10.50
Israel	742	723	760	10,303	10,000	10,625	13.89	13.44	14.35
Italy	3,074	3,058	3,091	31,833	31,627	32,055	10.35	10.28	10.43
Japan	1,952	1,916	1,989	21,289	20,801	21,772	10.91	10.62	11.17
Jordan	1,112	1,088	1,140	18,653	18,129	19,221	16.78	16.23	17.30
Mexico	9,031	8,996	9,063	179,652	178,838	180,485	19.89	19.79	20.00
Netherlands	1,328	1,308	1,348	12,151	11,933	12,367	9.15	8.97	9.34
New Zealand	1,048	727	1,415	12,910	7,566	18,753	12.32	7.41	19.26
Norway	721	670	773	7,389	6,662	8,085	10.24	9.27	11.37
Pakistan	2,179	893	3,486	40,195	22,251	58,558	18.45	9.54	37.09
Peru	3,374	3,346	3,401	70,006	69,328	70,717	20.75	20.53	20.97
Philippines	1,847	1,817	1,879	31,600	30,924	32,281	17.11	16.71	17.51
Portugal	2,052	2,023	2,081	20,028	19,685	20,387	9.76	9.57	9.93
Singapore	50	32	66	795	457	1,109	15.97	9.99	24.23
Slovenia	2,038	1,981	2,092	19,885	19,208	20,542	9.76	9.42	10.12
Republic of Korea	1,692	1,615	1,764	19,833	18,762	20,762	11.72	11.08	12.41
Spain	2,291	2,274	2,308	24,533	24,289	24,764	10.71	10.59	10.82
Sweden	1,718	1,694	1,742	15,478	15,158	15,763	9.01	8.82	9.21
Switzerland	1,627	1,598	1,657	14,850	14,502	15,188	9.13	8.91	9.34
United States	1,819	1,814	1,823	24,272	24,190	24,346	13.35	13.30	13.39
Vietnam	1,351	941	1,744	25,513	15,696	35,570	18.88	11.94	29.52

Note: "Lower" means the lower bound of confidence interval (CI); "upper" means the upper bound of CI. Abbreviations: 95% CI=95% confidence interval; YLL=years of life lost.

REFERENCES

1. Moran PAP. The estimation of standard errors in monte carlo simulation experiments. *Biometrika* 1975;62(1):1 – 4. <http://dx.doi.org/10.1093/biomet/62.1.1>.
2. Chiang CL. The life table and its applications. Malabar: Robert E. Krieger Publishing Company. 1984. https://openlibrary.org/books/OL3500112M/The_life_table_and_its_applications.
3. World Health Organization. WHO life tables by country. World Health Organization. 2018. <https://www.who.int/data/gho/data/indicators/indicator-details/GHO/gho-ghe-life-tables-by-country>. [2021-10-31].

4. United Nations. World population prospects 2019: highlights. 2019. <https://www.un.org/development/desa/publications/world-population-prospects-2019-highlights.html>. [2021-10-31].
5. World Health Organization. Coronavirus disease (COVID-2019) situation reports. 2022. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>. [2021-3-27].
6. CDC. Coronavirus disease 2019 (COVID-19). 2020. <https://stacks.cdc.gov/view/cdc/89585>. [2021-10-31].
7. National Health Commission of the People's Republic of China. The latest situation of the new coronavirus pneumonia epidemic situation as of 24:00 on June 30. 2020. <http://www.nhc.gov.cn/xcs/yqtb/202007/a98e49570be24eaf88de98e6e6217fc8.shtml>. [2021-10-31]. (In Chinese).
8. National Health Commission of the People's Republic of China. The latest situation of the new coronavirus pneumonia epidemic situation as of 24:00 on May 28. 2020. <http://www.nhc.gov.cn/xcs/yqtb/202005/874765e641254eb4acea9d5e945f4e01.shtml>. [2021-3-31]. (In Chinese).
9. The Norel Coronavirus Pneumonia Emergency Response Epidemiology Team. The epidemiological characteristics of an outbreak of 2019 novel coronavirus diseases (COVID-19) in China. *Chin J Epidemiol* 2020;41(2):145 – 51. <http://dx.doi.org/10.3760/cma.j.issn.0254-6450.2020.02.003>. (In Chinese).
10. Italy Higher Institute of Health. Integrated surveillance of COVID-19 in Italy. <https://www.epicentro.iss.it/en/coronavirus/>. [2021-10-31].
11. Republic of Korea MOHW. Coronavirus disease-19, Republic of Korea. 2020. http://ncov.mohw.go.kr/bdBoardList_Real.do?brdId=1&brdGubun=11&ncvContSeq=&contSeq=&board_id=&gubun=. [2021-3-31].
12. Ministry of Health, Social Services and Equality. Current situation. <https://www.mschs.gob.es/profesionales/saludPublica/ccayes/alertasActual/nCov-China/situacionActual.htm>. [2021-10-31].
13. Robert Koch Institute. Coronavirus disease 2019 (COVID-19) daily situation report of the robert koch institute. 2022. https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Situationsberichte/Gesamt.html. [2021-3-31].
14. CDC. Coronavirus disease 2019 (COVID-19). 2022. <https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/cases-in-us.html>. [2021-3-31].
15. GitHub. Coronavirus-data. 2020. <https://github.com/topics/coronavirus-data>. [2021-3-31].
16. The Public Health Agency of Sweden. Confirmed cases in Sweden - daily update. 2022. <https://www.folkhalsomyndigheten.se/smittskydd-beredskap/utbrott/aktuella-utbrott/covid-19/bekraftade-fall-i-sverige>. [2021-3-31].
17. Norwegian Institute of Public Health. Daily report and statistics about coronavirus and COVID-19. 2020. <https://www.fhi.no/en/id/infectious-diseases/coronavirus/daily-reports/daily-reports-COVID19/>. [2021-3-31].
18. Australia ABC. Charting the COVID-19 spread in Australia. 2020. <https://www.abc.net.au/news/2020-03-17/coronavirus-cases-data-reveals-how-covid-19-spreads-in-australia/12060704?nw=0>. [2020-3-31].
19. Government of Canada. Epidemiological summary of COVID-19 cases in Canada. 2022. <https://health-infobase.canada.ca/covid-19/epidemiological-summary-covid-19-cases.html>. [2021-3-31].
20. Ministry of Health, Singapore. COVID-19 statistics. 2022. <https://www.moh.gov.sg/covid-19/statistics>. [2021-3-31].
21. Singapore COVID19. Dashboard of the COVID-19 virus outbreak in Singapore. 2022. <https://co.vid19.sg/singapore/>. [2020-3-31].
22. World Health Organization. WHO coronavirus disease (COVID-19) dashboard. 2022. <https://covid19.who.int/>. [2021-3-31].
23. COVID-19 information and resources. <https://corona.go.jp/en/dashboard/>.
24. Coronavirus dashboard, Netherlands. <https://coronadashboard.government.nl/>. [2021-3-31].
25. COVID-19 Switzerland. 2022. <https://www.covid19.admin.ch/en/overview>. [2021-3-31].
26. Belgium COVID-19 epidemiological situation. 2022. <https://datastudio.google.com/embed/reporting/c14a5cfc-cab7-4812-848c-0369173148ab/page/ZwmOB>. [2021-3-31].
27. Israel COVID-19 data tracker, ministry of health, Israel. 2020. <https://www.gov.il/en/departments/guides/information-corona>. [2021-3-31].
28. Ireland's COVID-19 data hub, government of Ireland. <https://covid19ireland-geohive.hub.arcgis.com/>. [2021-3-31].
29. COVID-19: current cases, ministry of health, government of New Zealand. 2022. <https://www.health.govt.nz/covid-19-novel-coronavirus/covid-19-data-and-statistics/covid-19-current-cases>. [2021-3-31].
30. Data on COVID-19 epidemic in slovenia, government of Slovenia. 2022. <https://www.gov.si/en/topics/coronavirus-disease-covid-19/actual-data/>. [2021-3-31].