

## SUPPLEMENTARY MATERIAL

### Study Location

The study used Guangdong Province of China as an example to project the epidemic magnitude of coronavirus disease 2019 (COVID-19) from January 1, 2022, to December 31, 2022. Guangdong Province is located in the southeast coastal area of China and has frequent international exchange. Guangdong is the most populous province in China with 126,012,500 residents and is the most developed province with the highest gross domestic product (GDP) (1–2). Guangdong has the highest total export-import volume in China (2). For these reasons, Guangdong faces considerable risk of COVID-19 in the global pandemic.


### Model Structure

Based on the susceptible-infectious-recovered (SIR) modeling framework, we introduced several compartments to include import risk from overseas, imported (border) quarantine, vaccination, and exiting population (Figure 1). Two compartments were added to describe the imported infectors ( $I_{in}$ ) and imported susceptibles ( $S_{in}$ ).  $I_{in}$  shunts into imported infectors with ( $Q_{in,p}$ ) and without quarantine or leaked after quarantine ( $I_{in,p}$ ).  $S_{in}$  shunts into imported susceptible with ( $Q_{in,s}$ ) and without quarantine ( $S_{in,s}$ ). We divided the  $S$  compartment into 3 sections: susceptible without vaccination ( $S_{non-vaccine}$ ); susceptible with full vaccination ( $S_{vaccine2}$ ); susceptible with booster dose vaccination ( $S_{vaccine3}$ ). We further divided  $S_{vaccine2}/S_{vaccine3}$  into 2 sections: vaccinated susceptible with immunity against COVID-19 ( $S_{protect2}, S_{protect3}$ ); vaccinated susceptible without immunity against COVID-19 ( $S_{non-protect2}, S_{non-protect3}$ ).  $S_{non-protect2}, S_{non-protect3}$ , and  $S_{non-protect3}$  would gradually become infectors and flow into  $I_{non-vaccine}$ ,  $I_{vaccine2}$ , and  $I_{vaccine3}$ , respectively, which would be later detected, quarantined, and treated in  $Q_{non-vaccine}$ ,  $Q_{vaccine2}$ , and  $Q_{vaccine3}$ , respectively. Then the recovered infectors would enter recovery compartment  $R$ . We introduced  $Out$  to describe the exported population from Guangdong.

### Model Equations

The system of differential equations in the model is as follows:

$$\begin{aligned} \frac{dS_{non-vaccine}}{dt} &= -\frac{\beta S_{non-vaccine} (I_{non-vaccine} + I_{vaccine2} + I_{vaccine3} + I_{in,p})}{N} - S_{non-vaccine} \times P_{out} \\ \frac{dS_{vaccine2}}{dt} &= S_{in,s} + Q_{in,S} - S_{vaccine2} \times P_{protect2} - S_{vaccine2} \times P_{non-protect2} - S_{vaccine2} \times P_{out} \\ \frac{dS_{protect2}}{dt} &= S_{vaccine2} \times P_{protect2} - v_3 \times P_{protect2} \\ \frac{dS_{non-protect2}}{dt} &= S_{vaccine2} \times P_{non-protect2} - v_3 \times P_{non-protect2} - \frac{\beta \times S_{non-protect2} \times (I_{non-vaccine} + I_{vaccine2} + I_{vaccine3} + I_{in,p})}{N} \\ \frac{dS_{vaccine3}}{dt} &= v_3 \times P_{non-protect2} - S_{vaccine3} \times P_{protect3} - S_{vaccine3} \times P_{non-protect3} - S_{vaccine3} \times P_{out} \\ \frac{dS_{protect3}}{dt} &= S_{vaccine3} \times P_{protect3} + v_3 \times P_{protect2} - S_{protect3} \\ \frac{dS_{non-protect3}}{dt} &= S_{vaccine3} \times P_{non-protect3} - \frac{\beta \times S_{non-protect3} \times (I_{non-vaccine} + I_{vaccine2} + I_{vaccine3} + I_{in,p})}{N} \\ \frac{dI_{in,p}}{dt} &= I_{in,p} \times (1 - P_Q) + Q_{in,p} \times P_{leak} - \mu \times I_p \\ \frac{dI_{non-vaccine}}{dt} &= \frac{\beta S_{non-vaccine} (I_{non-vaccine} + I_{vaccine2} + I_{vaccine3} + I_{in,p})}{N} - \mu \times I_{non-vaccine} \\ \frac{dI_{vaccine2}}{dt} &= \frac{\beta S_{non-protect2} (I_{non-vaccine} + I_{vaccine2} + I_{vaccine3} + I_{in,p})}{N} - \mu \times I_{vaccine2} \\ \frac{dI_{vaccine3}}{dt} &= \frac{\beta S_{non-protect3} (I_{non-vaccine} + I_{vaccine2} + I_{vaccine3} + I_{in,p})}{N} - \mu \times I_{vaccine3} \\ \frac{dQ_{in}}{dt} &= \mu \times I_{in,p} + Q_{in,p} \times (1 - P_{leak}) - Q_{in} \times \delta \end{aligned}$$



SUPPLEMENTARY FIGURE S1. The association between observed daily new cases and the predicted daily new cases with beta= 0.14 (beta with best fitness)

Abbreviations: RMSE=root mean square error

SUPPLEMENTARY TABLE S1. Interval from infection to quarantine for different infection detected measures.

Infection detection measures	Median interval	$\mu$
Fever monitor	6.5 days	1/6.5
Fever monitor + Contact trace	5 days	1/5
Fever monitor + Contact trace + High risk group trace	4.5 days	1/4.5
Fever monitor + Contact trace + High risk group trace + Community nucleic acid screening	4 days	1/4

SUPPLEMENTARY TABLE S2. Definitions and values of compartments in the transmission model.

Compartment	Definition	Value
$I_{in}$	Imported infected persons	Estimated from flight data and COVID-19 prevalence of imported population Ditto
$S_{in}$	Imported susceptible	No imported quarantine: $I_{in,p} = I_{in}$ Imported quarantine: $I_{in,p} = Q_{in,p} \times P_{leak}$
$I_{in,p}$	Imported infected persons without quarantine or leaked after quarantine	No imported quarantine: $Q_{in,p} = 0$ Imported quarantine: $Q_{in,p} = I_{in}$
$Q_{in,p}$	Imported infected persons with quarantine	No imported quarantine: $S_{in,s} = S_{in}$ Imported quarantine: $S_{in,s} = 0$
$S_{in,s}$	Imported susceptible without quarantine	No imported quarantine: $Q_{in,s} = 0$ Imported quarantine: $Q_{in,s} = \text{Lag}_{7/14}(S_{in})$
$Q_{in,s}$	Imported susceptible with quarantine	Initial value: $10\% \times 126,012,500$
$S_{non-vaccine}$	Susceptible without vaccination	Initial value: $90\% \times 126,012,500 - 10,000,000$
$S_{vaccine2}$	Susceptible with full vaccination	Initial value: $10,000,000$
$S_{vaccine3}$	Susceptible with booster vaccination	$S_{vaccine2} \times 65.70\%$
$S_{protect2}$	Fully vaccinated susceptible with immunity	$S_{vaccine2} - S_{vaccine2} \times 65.70\%$
$S_{non-protect2}$	Fully vaccinated susceptible without immunity	$S_{vaccine3} \times 88.00\%$
$S_{protect3}$	Booster vaccinated susceptible with immunity	$S_{vaccine3} - S_{vaccine3} \times 88.00\%$
$S_{non-protect3}$	Booster vaccinated susceptible without immunity	Initial value: 0
$I_{non-vaccine}$	Infected persons without vaccination	Initial value: 0
$I_{vaccine2}$	Infected persons with full vaccination	Initial value: 0
$I_{vaccine3}$	Infected persons with booster vaccination	Initial value: 0
$Q_{in}$	Quarantined imported infected persons	Initial value: 0
$Q_{non-vaccine}$	Quarantined infected persons without vaccination	Initial value: 0
$Q_{vaccine2}$	Quarantined infected persons with full vaccination	Initial value: 0
$Q_{vaccine3}$	Quarantined infected persons with booster vaccination	Initial value: 0
R	Recovered population	Initial value: 0

SUPPLEMENTARY TABLE S3. Definitions and values of parameters in the transmission model.

Parameter	Definition	Scenario	Value
$\beta$	Transmission coefficient	With personal protection and social distance	$0.14 \times 1.97 = 0.27$
		Without personal protection and social distance	$0.27 / 0.47 = 0.57$
		Fever monitor	1/6.5
$\mu$	Rate from infected persons to quarantine	Fever monitor + contact trace	1/5
		Fever monitor + contact trace + high risk group trace	1/4.5
		Fever monitor + contact trace + high risk group trace + community nucleic acid screening	1/4
$\delta$	Rate from quarantine to recovery	All	1/23
$P_Q$	Proportion of imported quarantine	No imported quarantine	0
		Imported quarantine	1
$P_{leak}$	Proportion of leaked infected persons under different imported quarantined period	7-day imported quarantine	1.04%
		14-day imported quarantine	0.16%
$P_{protect2}$	Vaccine efficacy for full vaccination	All	65.70%
$P_{protect3}$	Vaccine efficacy for booster vaccination	All	88.00%
$P_{out}$	Proportion of exported population	All	Imported population/Guangdong population

$$\begin{aligned}\frac{dQ_{non-vaccine}}{dt} &= \mu \times I_{non-vaccine} - Q_{non-vaccine} \times \delta \\ \frac{dQ_{vaccine2}}{dt} &= \mu \times I_{vaccine2} - Q_{vaccine2} \times \delta \\ \frac{dQ_{vaccine3}}{dt} &= \mu \times I_{vaccine3} - Q_{vaccine3} \times \delta \\ \frac{dR}{dt} &= (Q_{in} + Q_{non-vaccine} + Q_{vaccine2} + Q_{vaccine3}) \times \delta + S_{protect3} - R \times P_{out}\end{aligned}$$

### Estimation of Vaccination Rate

Guangdong Province has 126,012,500 residents (1). As of November 30, 2021, 86.67% residents in Guangdong were fully vaccinated. We assumed that the full vaccination (2 doses) rate could reach 90% by the beginning of 2022 in Guangdong. In the second half of 2021, full vaccination increased from 46.72% (on June 30) to 86.62% (on November 30). In other words, 46.72% and 86.62% of the population are eligible for booster doses on January 1 and June 1, 2022. In addition, 7.97 million people have received booster doses by November 30, and we predict that 10 million people could receive booster doses by January 1, 2022. As the roll-out of vaccination normally had a “fast, followed by slow, trend,” we set high and low vaccination scenarios: 1) 60% population boosted by June 30, 2022 and 85% population boosted by December 31, 2022; 2) 50% population boosted by June 30, 2022 and 75% boosted by December 31, 2022.

### Estimation of Vaccination Effectiveness

Inactivated COVID-19 vaccines were widely used in China, and their vaccine efficacy against infection was 65.70% for the fully vaccinated according to a recent meta-analysis (3). According to a recent publication, the efficacy for booster doses was 88.00% (4). Therefore,  $P_{protect2}$  and  $P_{protect3}$  were set to be 65.70% and 88.00%, respectively.

Vaccination reduces hospital admission, severe illness, and death. According to US CDC, for unvaccinated and fully vaccinated infected people, hospital admission rates were 9.00% and 3.90%; intensive care unit (ICU) admission rates were 3.12% and 0.36%; and the fatality rates were 1.40% and 0.70% (5). Given that inactivated vaccines have lower efficacy than mRNA vaccines, we adjusted these rates based on the ratio between the efficacy of inactive and mRNA vaccine (3,6). The hospital admission rate, ICU admission rate, and fatality rate were set to

SUPPLEMENTARY TABLE S4. Predicted epidemic magnitude and required medical resource under different scenarios in 2022 in Guangdong Province.

Recovery (%) of overseas incoming travel compared with 2019	Quarantine strategy	Personal protection	Case identification	Cumulative cases	Cumulative deaths	Maximum new cases	Maximum cases quarantined	Maximum hospital beds	Maximum ICU beds	Maximum hotel rooms for imported quarantine
<b>Booster vaccination rate=50% on June 30, 2022, Booster vaccination rate=75% on December 31, 2022.</b>										
100%	0 day	No	A	17,057,217	158,898	245,140	4,488,007	241,854	51,011	0
100%	0 day	No	A+B	1,623,846	15,122	12,643	271,129	14,507	3,014	0
100%	0 day	No	A+B+C	603,404	5,618	4,112	91,869	4,841	967	0
100%	0 day	No	A+B+C+D	310,922	2,895	1,856	44,023	2,268	433	0
100%	7–0 days	No	A	11,767,643	109,710	136,895	2,653,201	143,601	31,342	211,576
100%	7–0 days	No	A+B	344,004	3,204	1,501	38,297	1,966	384	211,576
100%	7–0 days	No	A+B+C	167,251	1,558	793	23,683	1,185	238	211,576
100%	7–0 days	No	A+B+C+D	106,998	997	563	18,667	911	175	211,576
100%	7 days	No	A	11,682,121	108,912	136,895	2,653,201	143,601	31,342	227,289
100%	7 days	No	A+B	202,724	1,888	1,501	38,297	1,966	384	227,289
100%	7 days	No	A+B+C	66,087	615	446	15,719	750	126	227,289
100%	7 days	No	A+B+C+D	33,052	308	196	10,425	465	67	227,289
100%	14–7 days	No	A	7,162,142	66,787	63,596	1,313,897	71,355	16,076	421,820
100%	14–7 days	No	A+B	46,352	432	237	11,567	526	81	421,820
100%	14–7 days	No	A+B+C	20,287	189	84	8,684	366	47	421,820
100%	14–7 days	No	A+B+C+D	12,397	115	59	8,143	337	41	421,820
100%	14 days	No	A	7,145,332	66,631	63,596	1,313,232	71,317	16,066	452,238
100%	14 days	No	A+B	32,129	299	237	11,567	526	81	452,238
100%	14 days	No	A+B+C	10,277	96	70	7,908	330	39	452,238
100%	14 days	No	A+B+C+D	5,114	48	30	7,125	286	30	452,238
100%	0 day	Yes	A	130,757	1,218	584	18,433	896	155	0
100%	0 day	Yes	A+B	78,139	728	328	13,002	604	95	0
100%	0 day	Yes	A+B+C	65,496	610	269	11,790	539	82	0
100%	0 day	Yes	A+B+C+D	54,493	507	219	10,772	485	71	0
100%	7–0 days	Yes	A	54,658	509	296	13,239	615	106	211,576
100%	7–0 days	Yes	A+B	35,005	326	191	10,938	489	77	211,576
100%	7–0 days	Yes	A+B+C	29,855	278	163	10,337	456	69	211,576
100%	7–0 days	Yes	A+B+C+D	25,223	235	138	9,800	427	62	211,576
100%	7 days	Yes	A	13,718	128	61	7,707	319	37	227,289
100%	7 days	Yes	A+B	8,175	76	34	7,364	294	31	227,289
100%	7 days	Yes	A+B+C	6,848	64	28	7,300	290	30	227,289
100%	7 days	Yes	A+B+C+D	5,695	53	23	7,243	287	29	227,289
100%	14–7 days	Yes	A	6,138	57	31	7,595	306	33	421,820
100%	14–7 days	Yes	A+B	3,893	36	20	7,355	293	30	421,820
100%	14–7 days	Yes	A+B+C	3,313	31	17	7,293	290	30	421,820
100%	14–7 days	Yes	A+B+C+D	2,793	26	14	7,237	287	29	421,820
100%	14 days	Yes	A	2,117	20	9	7,044	276	26	452,238

Continued

Recovery (%) of overseas incoming travel compared with 2019	Quarantine strategy	Personal protection	Case identification	Cumulative cases	Cumulative deaths	Maximum new cases	Maximum cases quarantined	Maximum hospital beds	Maximum ICU beds	Maximum hotel rooms for imported quarantine
100%	14 days	Yes	A+B	1,260	12	5	7,006	274	26	452,238
100%	14 days	Yes	A+B+C	1,056	10	4	6,996	274	26	452,238
100%	14 days	Yes	A+B+C+D	878	8	4	6,987	273	26	452,238
50%	0 day	No	A	14,593,265	136,568	195,326	3,655,505	198,408	42,742	0
50%	0 day	No	A+B	801,343	7,496	6,188	133,033	7,149	1,499	0
50%	0 day	No	A+B+C	290,695	2,719	2,007	44,833	2,369	476	0
50%	0 day	No	A+B+C+D	150,273	1,406	915	21,697	1,120	214	0
50%	7–0 days	No	A	8,932,401	83,812	93,142	1,846,408	100,932	22,654	105,788
50%	7–0 days	No	A+B	156,695	1,471	695	17,927	921	180	105,788
50%	7–0 days	No	A+B+C	77,912	732	370	11,232	565	115	105,788
50%	7–0 days	No	A+B+C+D	50,405	474	267	8,979	440	85	105,788
50%	7 days	No	A	8,878,596	83,303	93,142	1,846,527	100,941	22,655	113,645
50%	7 days	No	A+B	92,166	862	695	17,927	921	180	113,645
50%	7 days	No	A+B+C	31,220	292	215	7,682	366	61	113,645
50%	7 days	No	A+B+C+D	15,868	148	96	5,171	231	33	113,645
50%	14–7 days	No	A	4,392,446	41,293	34,343	727,727	39,987	9,268	210,910
50%	14–7 days	No	A+B	20,841	195	109	5,558	251	38	210,910
50%	14–7 days	No	A+B+C	9,440	89	39	4,274	180	23	210,910
50%	14–7 days	No	A+B+C+D	5846	55	28	4,033	167	20	210,910
50%	14 days	No	A	4,381,380	41,188	34,309	726,863	39,940	9,256	226,119
50%	14 days	No	A+B	14,440	135	109	5,558	251	38	226,119
50%	14 days	No	A+B+C	4,843	45	34	3,925	163	19	226,119
50%	14 days	No	A+B+C+D	2,453	23	15	3,556	143	15	226,119
50%	0 day	Yes	A	63,545	595	290	9,154	445	77	0
50%	0 day	Yes	A+B	38,124	357	163	6,477	301	47	0
50%	0 day	Yes	A+B+C	31,990	300	134	5,876	269	41	0
50%	0 day	Yes	A+B+C+D	26,642	250	109	5,372	242	35	0
50%	7–0 days	Yes	A	26,082	246	142	6,469	302	53	105,788
50%	7–0 days	Yes	A+B	16,814	158	92	5,388	242	38	105,788
50%	7–0 days	Yes	A+B+C	14,366	135	79	5,103	226	34	105,788
50%	7–0 days	Yes	A+B+C+D	12,158	114	67	4,847	212	31	105,788
50%	7 days	Yes	A	6,655	62	30	3,842	159	18	113,645
50%	7 days	Yes	A+B	3,985	37	17	3,673	147	15	113,645
50%	7 days	Yes	A+B+C	3,342	31	14	3,643	145	15	113,645
50%	7 days	Yes	A+B+C+D	2,783	26	11	3,616	143	14	113,645
50%	14–7 days	Yes	A	2,933	28	15	3,781	153	17	210,910
50%	14–7 days	Yes	A+B	1,872	18	10	3,669	146	15	210,910
50%	14–7 days	Yes	A+B+C	1,596	15	8	3,639	145	15	210,910
50%	14–7 days	Yes	A+B+C+D	1,348	13	7	3,613	143	14	210,910

Continued

Recovery (%) of overseas incoming travel compared with 2019	Quarantine strategy	Personal protection	Case identification	Cumulative cases	Cumulative deaths	Maximum new cases	Maximum cases quarantined	Maximum hospital beds	Maximum ICU beds	Maximum hotel rooms for imported quarantine
50%	14 days	Yes	A	1,027	10	5	3,519	138	13	226,119
50%	14 days	Yes	A+B	614	6	3	3,501	137	13	226,119
50%	14 days	Yes	A+B+C	515	5	2	3,497	137	13	226,119
50%	14 days	Yes	A+B+C+D	429	4	2	3,493	137	13	226,119
20%	0 day	No	A	11,686,806	109,823	141,719	2,723,780	148,882	32,851	0
20%	0 day	No	A+B	317,808	2,981	2,442	52,585	2,834	598	0
20%	0 day	No	A+B+C	113,748	1,067	791	17,678	935	188	0
20%	0 day	No	A+B+C+D	58,924	553	363	8,606	444	85	0
20%	7–0 days	No	A	5,950,980	56,140	53,179	1,087,845	60,016	13,851	42,315
20%	7–0 days	No	A+B	59,386	560	266	6,907	355	70	42,315
20%	7–0 days	No	A+B+C	29,908	283	142	4,359	220	45	42,315
20%	7–0 days	No	A+B+C+D	19,470	184	103	3,512	173	34	42,315
20%	7 days	No	A	5,920,851	55,853	53,179	1,087,349	59,981	13,840	45,458
20%	7 days	No	A+B	34,910	327	266	6,907	355	70	45,458
20%	7 days	No	A+B+C	12,085	113	84	3,033	144	24	45,458
20%	7 days	No	A+B+C+D	6,199	58	38	2,059	92	13	45,458
20%	14–7 days	No	A	2,129,633	20,142	15,028	323,588	17,942	4,253	84,364
20%	14–7 days	No	A+B	7,849	74	42	2,176	98	15	84,364
20%	14–7 days	No	A+B+C	3,622	34	15	1,695	71	9	84,364
20%	14–7 days	No	A+B+C+D	2,260	21	11	1,605	66	8	84,364
20%	14 days	No	A	2,123,723	20,085	15,002	323,001	17,908	4,245	90,448
20%	14 days	No	A+B	5,438	51	42	2,176	98	15	90,448
20%	14 days	No	A+B+C	1,872	18	13	1,564	65	8	90,448
20%	14 days	No	A+B+C+D	958	9	6	1,421	57	6	90,448
20%	0 day	Yes	A	24,995	235	115	3,647	178	31	0
20%	0 day	Yes	A+B	15,029	141	65	2,585	120	19	0
20%	0 day	Yes	A+B+C	12,619	119	54	2,346	107	16	0
20%	0 day	Yes	A+B+C+D	10,515	99	44	2,146	97	14	0
20%	7–0 days	Yes	A	10,147	96	55	2,554	119	21	42,315
20%	7–0 days	Yes	A+B	6,566	62	36	2,136	96	15	42,315
20%	7–0 days	Yes	A+B+C	5,616	53	31	2,026	90	14	42,315
20%	7–0 days	Yes	A+B+C+D	4,757	45	26	1,926	84	12	42,315
20%	7 days	Yes	A	2,615	25	12	1,534	64	7	45,458
20%	7 days	Yes	A+B	1,570	15	7	1,467	59	6	45,458
20%	7 days	Yes	A+B+C	1,318	12	6	1,455	58	6	45,458
20%	7 days	Yes	A+B+C+D	1,098	10	5	1,445	57	6	45,458
20%	14–7 days	Yes	A	1,142	11	6	1,509	61	7	84,364
20%	14–7 days	Yes	A+B	732	7	4	1,465	58	6	84,364
20%	14–7 days	Yes	A+B+C	624	6	3	1,454	58	6	84,364

Continued

Recovery (%) of overseas incoming travel compared with 2019	Quarantine strategy	Personal protection	Case identification	Cumulative cases	Cumulative deaths	Maximum new cases	Maximum cases quarantined	Maximum hospital beds	Maximum ICU beds	Maximum hotel rooms for imported quarantine
20%	14–7 days	Yes	A+B+C+D	528	5	3	1,444	57	6	84,364
20%	14 days	Yes	A	403	4	2	1,407	55	5	90,448
20%	14 days	Yes	A+B	242	2	1	1,400	55	5	90,448
20%	14 days	Yes	A+B+C	203	2	1	1,398	55	5	90,448
20%	14 days	Yes	A+B+C+D	169	2	1	1,397	55	5	90,448
<b>Booster vaccination rate=60% on June 30, 2022, booster vaccination rate=85% on December 31, 2022</b>										
100%	0 day	No	A	12,922,032	120,710	173,218	3,249,552	176,074	38,187	0
100%	0 day	No	A+B	1,039,439	9,703	8,723	185,865	9,941	2,076	0
100%	0 day	No	A+B+C	455,636	4,253	3,413	75,665	3,979	797	0
100%	0 day	No	A+B+C+D	255,103	2,382	1,684	39,865	2,049	392	0
100%	7–0 days	No	A	6,452,568	60,385	66,137	1,322,321	72,100	16,346	211,576
100%	7–0 days	No	A+B	216,215	2,022	986	26,889	1,355	258	211,576
100%	7–0 days	No	A+B+C	122,459	1,146	566	18,760	925	188	211,576
100%	7–0 days	No	A+B+C+D	83,289	780	427	15,746	758	146	211,576
100%	7 days	No	A	6,349,818	59,421	66,137	1,322,321	72,100	16,346	227,289
100%	7 days	No	A+B	120,477	1,125	986	26,889	1,355	258	227,289
100%	7 days	No	A+B+C	49,339	460	368	13,910	654	107	227,289
100%	7 days	No	A+B+C+D	27,072	253	178	9,977	442	62	227,289
100%	14–7 days	No	A	2,228,354	20,868	17,956	376,505	20,556	4,784	421,820
100%	14–7 days	No	A+B	28,421	266	155	9,673	425	60	421,820
100%	14–7 days	No	A+B+C	14,878	139	59	8,157	338	42	421,820
100%	14–7 days	No	A+B+C+D	9,720	91	45	7,835	321	38	421,820
100%	14 days	No	A	2,209,689	20,693	17,956	376,471	20,552	4,782	452,238
100%	14 days	No	A+B	18,900	176	155	9,673	425	60	452,238
100%	14 days	No	A+B+C	7,664	72	57	7,631	315	36	452,238
100%	14 days	No	A+B+C+D	4,189	39	28	7,079	283	29	452,238
100%	0 day	Yes	A	113,519	1,061	556	17,664	856	148	0
100%	0 day	Yes	A+B	69,524	650	319	12,705	589	93	0
100%	0 day	Yes	A+B+C	58,636	548	263	11,567	528	80	0
100%	0 day	Yes	A+B+C+D	49,054	458	215	10,604	477	70	0
100%	7–0 days	Yes	A	45,163	423	241	12,029	553	96	211,576
100%	7–0 days	Yes	A+B	29,724	278	161	10,279	456	72	211,576
100%	7–0 days	Yes	A+B+C	25,542	239	139	9,803	430	65	211,576
100%	7–0 days	Yes	A+B+C+D	21,727	203	118	9,370	405	59	211,576
100%	7 days	Yes	A	11,914	111	58	7,612	314	36	227,289
100%	7 days	Yes	A+B	7,277	68	33	7,295	290	30	227,289
100%	7 days	Yes	A+B+C	6,134	57	27	7,244	287	29	227,289
100%	7 days	Yes	A+B+C+D	5,129	48	22	7,198	285	29	227,289
100%	14–7 days	Yes	A	5,104	48	25	7,469	300	32	421,820

Continued

Recovery (%) of overseas incoming travel compared with 2019	Quarantine strategy	Personal protection	Case identification	Cumulative cases	Cumulative deaths	Maximum new cases	Maximum cases quarantined	Maximum hospital beds	Maximum ICU beds	Maximum hotel rooms for imported quarantine
100%	14–7 days	Yes	A+B	3,325	31	17	7,287	290	30	421,820
100%	14–7 days	Yes	A+B+C	2,850	27	14	7,237	287	29	421,820
100%	14–7 days	Yes	A+B+C+D	2,419	23	12	7,193	285	29	421,820
100%	14 days	Yes	A	1,839	17	9	7,024	275	26	452,238
100%	14 days	Yes	A+B	1,122	10	5	6,995	274	26	452,238
100%	14 days	Yes	A+B+C	946	9	4	6,987	273	26	452,238
100%	14 days	Yes	A+B+C+D	791	7	4	6,980	273	26	452,238
50%	0 day	No	A	10,081,389	94,663	124,420	2,389,533	130,535	29,026	0
50%	0 day	No	A+B	506,260	4,746	4,254	90,757	4,872	1,025	0
50%	0 day	No	A+B+C	220,284	2,066	1,673	37,083	1,955	393	0
50%	0 day	No	A+B+C+D	123,644	1,161	832	19,689	1,013	194	0
50%	7–0 days	No	A	3,925,116	36,987	36,574	743,174	40,933	9,524	105,788
50%	7–0 days	No	A+B	100,174	945	467	12,876	649	123	105,788
50%	7–0 days	No	A+B+C	57,449	543	267	8,986	445	92	105,788
50%	7–0 days	No	A+B+C+D	39,347	372	203	7,618	369	72	105,788
50%	7 days	No	A	3,862,260	36,389	36,574	743,174	40,933	9,524	113,645
50%	7 days	No	A+B	56,174	527	467	12,876	649	123	113,645
50%	7 days	No	A+B+C	23,545	221	179	6,842	321	52	113,645
50%	7 days	No	A+B+C+D	13,054	123	88	4,957	219	31	113,645
50%	14–7 days	No	A	998,057	9,419	7,825	165,238	9,101	2,152	210,910
50%	14–7 days	No	A+B	13,104	123	73	4,734	208	29	210,910
50%	14–7 days	No	A+B+C	6,985	66	28	4,036	167	21	210,910
50%	14–7 days	No	A+B+C+D	4,601	43	21	3,890	159	19	210,910
50%	14 days	No	A	988,447	9,327	7,825	165,222	9,099	2,150	226,119
50%	14 days	No	A+B	8,762	82	73	4,734	208	29	226,119
50%	14 days	No	A+B+C	3,651	34	28	3,797	157	18	226,119
50%	14 days	No	A+B+C+D	2,019	19	14	3,535	141	15	226,119
50%	0 day	Yes	A	55,205	519	276	8,778	426	74	0
50%	0 day	Yes	A+B	33,914	319	159	6,330	294	46	0
50%	0 day	Yes	A+B+C	28,627	269	131	5,767	264	40	0
50%	0 day	Yes	A+B+C+D	23,968	226	107	5,290	238	35	0
50%	7–0 days	Yes	A	21,531	204	116	5,890	272	48	105,788
50%	7–0 days	Yes	A+B	14,248	135	78	5,068	226	36	105,788
50%	7–0 days	Yes	A+B+C	12,263	116	67	4,842	213	33	105,788
50%	7–0 days	Yes	A+B+C+D	10,446	99	57	4,636	201	30	105,788
50%	7 days	Yes	A	5,785	54	29	3,799	157	18	113,645
50%	7 days	Yes	A+B	3,547	33	16	3,639	145	15	113,645
50%	7 days	Yes	A+B+C	2,993	28	14	3,615	144	15	113,645
50%	7 days	Yes	A+B+C+D	2,505	24	11	3,594	142	14	113,645

Continued

Recovery (%) of overseas incoming travel compared with 2019	Quarantine strategy	Personal protection	Case identification	Cumulative cases	Cumulative deaths	Maximum new cases	Maximum cases quarantined	Maximum hospital beds	Maximum ICU beds	Maximum hotel rooms for imported quarantine
50%	14–7 days	Yes	A	2,438	23	12	3,721	149	16	210,910
50%	14–7 days	Yes	A+B	1,596	15	8	3,636	145	15	210,910
50%	14–7 days	Yes	A+B+C	1,370	13	7	3,612	143	15	210,910
50%	14–7 days	Yes	A+B+C+D	1,165	11	6	3,591	142	14	210,910
50%	14 days	Yes	A	893	8	4	3,510	138	13	226,119
50%	14 days	Yes	A+B	547	5	3	3,496	137	13	226,119
50%	14 days	Yes	A+B+C	461	4	2	3,493	137	13	226,119
50%	14 days	Yes	A+B+C+D	386	4	2	3,489	136	13	226,119
20%	0 day	No	A	6,850,083	64,626	75,716	1,492,867	82,231	18,794	0
20%	0 day	No	A+B	199,276	1,873	1,676	35,782	1,925	407	0
20%	0 day	No	A+B+C	86,381	812	661	14,658	774	156	0
20%	0 day	No	A+B+C+D	48,561	457	330	7,819	403	77	0
20%	7–0 days	No	A	1,878,232	17,789	15,960	328,189	18,216	4,325	42,315
20%	7–0 days	No	A+B	38,329	363	181	5,024	253	48	42,315
20%	7–0 days	No	A+B+C	22,137	210	103	3,507	174	36	42,315
20%	7–0 days	No	A+B+C+D	15,221	145	79	2,990	145	29	42,315
20%	7 days	No	A	1,847,257	17,492	15,960	328,302	18,220	4,325	45,458
20%	7 days	No	A+B	21,580	203	181	5,024	253	48	45,458
20%	7 days	No	A+B+C	9,166	86	70	2,711	127	21	45,458
20%	7 days	No	A+B+C+D	5,112	48	35	1,976	87	12	45,458
20%	14–7 days	No	A	368,376	3,493	2,862	60,646	3,357	800	84,364
20%	14–7 days	No	A+B	5,002	47	28	1,871	82	11	84,364
20%	14–7 days	No	A+B+C	2,693	26	11	1,605	67	8	84,364
20%	14–7 days	No	A+B+C+D	1,782	17	8	1,550	63	7	84,364
20%	14 days	No	A	364,523	3,456	2,862	60,640	3,356	800	90,448
20%	14 days	No	A+B	3,356	32	28	1,871	82	11	90,448
20%	14 days	No	A+B+C	1,420	13	11	1,515	62	7	90,448
20%	14 days	No	A+B+C+D	790	7	5	1,413	56	6	90,448
20%	0 day	Yes	A	21,722	205	110	3,498	170	29	0
20%	0 day	Yes	A+B	13,368	126	63	2,527	117	19	0
20%	0 day	Yes	A+B+C	11,289	107	52	2,303	105	16	0
20%	0 day	Yes	A+B+C+D	9,456	89	43	2,113	95	14	0
20%	7–0 days	Yes	A	8,371	80	45	2,328	108	19	42,315
20%	7–0 days	Yes	A+B	5,557	53	30	2,010	90	14	42,315
20%	7–0 days	Yes	A+B+C	4,787	46	26	1,923	85	13	42,315
20%	7–0 days	Yes	A+B+C+D	4,081	39	22	1,843	80	12	42,315
20%	7 days	Yes	A	2,274	21	11	1,518	63	7	45,458
20%	7 days	Yes	A+B	1,397	13	7	1,454	58	6	45,458
20%	7 days	Yes	A+B+C	1,180	11	5	1,445	57	6	45,458

Continued

Recovery (%) of overseas incoming travel compared with 2019	Quarantine strategy	Personal protection	Case identification	Cumulative cases	Cumulative deaths	Maximum new cases	Maximum cases quarantined	Maximum hospital beds	Maximum ICU beds	Maximum hotel rooms for imported quarantine
20%	7 days	Yes	A+B+C+D	988	9	4	1,436	57	6	45,458
20%	14–7 days	Yes	A	949	9	5	1,485	60	6	84,364
20%	14–7 days	Yes	A+B	623	6	3	1,452	58	6	84,364
20%	14–7 days	Yes	A+B+C	535	5	3	1,443	57	6	84,364
20%	14–7 days	Yes	A+B+C+D	455	4	2	1,435	57	6	84,364
20%	14 days	Yes	A	351	3	2	1,403	55	5	90,448
20%	14 days	Yes	A+B	215	2	1	1,398	55	5	90,448
20%	14 days	Yes	A+B+C	182	2	1	1,397	55	5	90,448
20%	14 days	Yes	A+B+C+D	152	1	1	1,396	55	5	90,448

Note: A: Fever monitoring; B: Contact Tracing; C: Screening People at Risk ; D: Community-wide Screening.

Abbreviation: ICU=intensive care unit.

4.3%, 0.39%, and 0.80% for fully vaccinated infected people. A previous study demonstrated that risk of hospitalization, ICU admission, and death following booster doses were 6.50%, 8.10%, and 19.12% of full vaccination, respectively (4). Our study set hospital admission rate, ICU admission rate, and fatality rate as 0.30%, 0.03%, and 0.15% for booster vaccinated infected people, respectively.

## Infection Detection Measures

In the dynamic transmission model,  $\mu$  denotes the rate from infected persons to quarantine people. For assessing different local infection detection measures, we obtained information on the interval from infection to quarantine from real-world data in Guangdong Province.

## Estimation of Transmission Coefficient (beta)

We collected real world time series data of imported and local infected persons in a Guangdong epidemic during March 15, 2020 to April 15, 2020. This epidemic was triggered by imported cases from Africa. Based on the real-world data, we conducted an SIR model to calculate a contact transmission coefficient  $\beta$  value with the best fit. Vaccination had not started during or prior to this outbreak. Its  $\beta$  value therefore represents the transmission rate with local non-pharmacological interventions (NPIs) but without vaccine-induced immunity. We found that the  $\beta$  with best fitness was 0.14 ( $R^2=84.71\%$ , Root Mean Square Error=3.61).

Given viral variants could have higher transmission rates (transmissibility of variants could reach 1.97 times of non-variant) (7), we thus set  $\beta$  as  $0.14 \times 1.97 = 0.27$  to represent the transmission rate in 2022.

A meta-analysis found that the relative risk (RR) reductions associated with mask wearing and social distancing were 0.47 and 0.75, respectively (8). Given that the effects of combinations of personal protection and social distancing were rarely reported, in our study we used the lowest risk reduction (RR=0.47) to represent the effectiveness of personal protection together with social distancing. We set  $\beta$  as  $0.27/0.47=0.57$  to represent the transmission rate without personal protection and social distancing.

## Medical Resources Against COVID-19 in Guangdong Province

As of December 28, 2020, 7,091 hospital beds and 156 ICU beds (estimated by the number of total ICU beds multiplying by the proportion of infectious diseases) could be used for infectious disease cases in Guangdong Province (9). If 50% of these hospital beds could be used for COVID-19 treatment, 3,546 hospital beds and 78 ICU beds would be available. In addition, 419 hotels with 47,636 rooms could be used for quarantine of travelers.

## REFERENCES

1. National Bureau of Statistics. 7th Census Bulletin of China. [http://www.stats.gov.cn/tjsj/tjgb/rkpcgb/qgrkpcgb/202106/t20210628\\_1818822.html](http://www.stats.gov.cn/tjsj/tjgb/rkpcgb/qgrkpcgb/202106/t20210628_1818822.html). [2021-5-11]. (In Chinese).
2. National Bureau of Statistics. 2021 China statistical yearbook. Beijing: China Statistics Press. 2021. <http://find.nlc.cn/search/showDocDetails?docId=7056612357943537247&dataSource=ucs01&query=%E4%B8%AD%E5%9B%BD%E7%BB%9F%E8%AE%A1%E5%B9%B4%E9%89%B4-2021>. (In Chinese).
3. Zheng CF, Shao WH, Chen XR, Zhang BW, Wang GL, Zhang WD. Real-world effectiveness of COVID-19 vaccines: a literature review and meta-analysis. *Int J Infect Dis*, 2022;114:252 – 60. <http://dx.doi.org/10.1016/j.ijid.2021.11.009>.
4. Barda N, Dagan N, Cohen C, Hernán MA, Lipsitch M, Kohane IS, et al. Effectiveness of a third dose of the BNT162b2 mRNA COVID-19 vaccine for preventing severe outcomes in Israel: an observational study. *Lancet* 2021;398(10316):2093 – 100. [http://dx.doi.org/10.1016/s0140-6736\(21\)02249-2](http://dx.doi.org/10.1016/s0140-6736(21)02249-2).
5. Naleway AL, Groom HC, Crawford PM, Salas SB, Henninger ML, Donald JL, et al. Incidence of SARS-CoV-2 infection, emergency department visits, and hospitalizations because of COVID-19 among persons aged  $\geq 12$  years, by COVID-19 vaccination status — Oregon and Washington, July 4–September 25, 2021. *Morb Mort Wkly Rep* 2021;70(46):1608 – 12. <http://dx.doi.org/10.15585/mmwr.mm7046a4>.
6. Jara A, Undurraga EA, González C, Paredes F, Fontecilla T, Jara G, et al. Effectiveness of an inactivated SARS-CoV-2 vaccine in Chile. *N Engl J Med* 2021;385(10):875 – 84. <http://dx.doi.org/10.1056/NEJMoa2107715>.
7. Campbell F, Archer B, Laurenson-Schafer H, Jinnai Y, Konings F, Batra N, et al. Increased transmissibility and global spread of SARS-CoV-2 variants of concern as at June 2021. *Euro Surveill* 2021;26(24):2100509. <http://dx.doi.org/10.2807/1560-7917.Es.2021.26.24.2100509>.
8. Talic S, Shah S, Wild H, Gasevic D, Maharaj A, Ademi Z, et al. Effectiveness of public health measures in reducing the incidence of COVID-19, SARS-CoV-2 transmission, and covid-19 mortality: systematic review and meta-analysis. *BMJ* 2021;375:e068302. <http://dx.doi.org/10.1136/bmj-2021-068302>.
9. Health Commission of Guangdong Province. Three-year action plan for construction of public health prevention and treatment in Guangdong Province. [http://wsjkw.gd.gov.cn/zwyw\\_bmwj/content/post\\_3163553.html](http://wsjkw.gd.gov.cn/zwyw_bmwj/content/post_3163553.html). [2020-12-31]. (In Chinese).