

## Vital Surveillances

## Temporal Trends and Characteristics of Immunization Consultation Hotline Calls — Suzhou City, Jiangsu Province, China, 2018–2024

Yunyan Zhang<sup>1</sup>; Jinling Gao<sup>1</sup>; Lin Luan<sup>1</sup>; Juan Xu<sup>1</sup>; Benfeng Zheng<sup>1</sup>; Wenyu Wang<sup>1</sup>; Na Liu<sup>1,2,#</sup>

### ABSTRACT

**Introduction:** Vaccination remains a topic of widespread public concern. To ensure that professionals could deliver accurate information to the public directly and efficiently, Suzhou established a dedicated immunization program consultation hotline in 2018. To date, comprehensive, long-term standardized statistical analyses of immunization consultation hotlines in China remain scarce. This study analyzes temporal trends, category characteristics, and shifts in core public concerns regarding immunization consultations in Suzhou from 2018 to 2024, offering evidence to support the optimization of local public health service allocation.

**Methods:** Dedicated professionals answered all calls in real time within a designated room (operating hours: 9:00–17:00), and the full content of each call was recorded. Natural language processing (NLP) was applied for text preprocessing, categorical feature definition, frequency counting, and systematic analysis using Microsoft Excel. Descriptive statistics were performed and figures were generated using Python 3.12.1.

**Results:** A total of 76,154 valid records were collected. Annual call volume peaked at 15,365 in 2021 before declining by 80% to 3,025 in 2024. Monthly call volumes were highest between May and September and lowest in January and February. The most common consultation category was assessment form-related inquiries (24,911; 32.71%), followed by vaccination services (15,387; 20.21%) and vaccination policies (15,026; 19.73%). The most frequently consulted vaccines were the human papillomavirus vaccine (HPV) and the rabies vaccine (RV).

**Conclusions:** The hotline served as a direct communication channel between the public and government, accurately reflecting dynamic shifts in public immunization demands while providing actionable support for immunization program. The

evolving pattern of public vaccination concerns demonstrates measurable improvements in the quality and efficiency of immunization program in Suzhou.

As a cornerstone of public health, immunization enables people of all ages to live longer, healthier lives while alleviating the socioeconomic burden of infectious diseases worldwide (1–3). China formally launched the Expanded Program on Immunization (EPI) in 1978, and since then, both the variety and volume of vaccines in use have grown rapidly alongside broader promotion of immunization knowledge and heightened public awareness of proactively seeking vaccination information. Public demand has since expanded to encompass vaccine availability, rational immunization schedules, adverse event counseling, and personalized vaccination guidance — issues that have emerged as prominent focal points of public concern (4–5). In response, government consultation hotlines have evolved into vital, direct channels for public opinion monitoring and risk communication, enabling health authorities to promptly capture emerging needs and address public concerns as they arise.

As a rapidly urbanizing metropolis with a large and demographically diverse population, Suzhou faces unique complexities in immunization program management — most notably, coordinating cross-regional vaccination for migrant children and addressing varied demand for both EPI and non-EPI vaccines. This study analyzed immunization consultation hotline data from the Suzhou CDC spanning 2018 to 2024, with the goal of identifying key public concerns, persistent challenges, and emerging hot topics. The findings are intended to provide data-driven evidence for optimizing service allocation, refining targeted intervention strategies, and enhancing both the quality and responsiveness of EPI work in Suzhou.

## METHODS

The Basic Information Hotline operates daily from 9:00 to 17:00, serving Suzhou City residents exclusively via telephone. All calls are handled by professionally trained staff who undergo regular training and are based at the Suzhou CDC. Hotline personnel collaborate closely with hospitals and vaccination clinics to address issues promptly — referring complex vaccination-related inquiries to specialists and managing complaint-related cases within designated feedback timeframes. Every call is answered on time by qualified professionals in a dedicated room, with all content recorded for subsequent reference and verification. The standardized workflow follows four sequential stages: call registration, data classification, results follow-up, and data archiving. Data were extracted from daily hotline records spanning a 7-year period (2018–2024). Only immunization-related valid calls ( $n=76,154$ ) were included in the analysis; non-relevant inquiries — such as administrative, non-immunization issues — were excluded during preliminary screening. Two trained public health researchers independently reviewed the records to extract core topics, and any classification discrepancies were resolved through consultation with a third senior epidemiologist from Suzhou CDC.

Natural language processing (NLP) was applied to preprocess the text data, encompassing digitization, data cleaning, and removal of invalid information. This pipeline also defined categorical data features and computed term frequencies prior to systematic analysis. All structured outputs were organized in standard Microsoft Excel 2025 (Microsoft Corporation, headquartered in Redmond, USA). Descriptive statistical analyses — including frequency counts, constituent ratios, and temporal trends — were subsequently performed, and all figures were generated using Python (version 3.12.1, Python Software Foundation, based in Wilmington, USA).

## RESULTS

Between 2018 and 2024, hotline call volume fluctuated and peaked at 15,365 in 2021 before declining sharply to 3,025 in 2024 — an 80% drop from the peak. The years 2019–2021 consistently sustained high volumes, each exceeding 13,937 calls per year (Figure 1A). Monthly call volumes exhibited clear seasonality, with peaks occurring from May through September and troughs in January and February (Figure 1B). Annual word clouds of

consulted vaccines — in which font size reflects relative frequency — revealed distinct phase characteristics across the study period: during 2018–2019, high-interest vaccines centered on HPV, RV, DTaP-IPV-Hib, and pediatric/adult HepB; during 2020–2022, public inquiries shifted toward targeted pandemic-related concerns, while non-COVID-19 vaccine consultations declined significantly; and during 2023–2024, high-interest vaccines returned to pre-pandemic patterns (Figure 2). Figure 3 presents the year-by-year volume of vaccine-specific calls, organized into nine categories: Non-EPI vaccines (encompassing vaccination knowledge, vaccine safety, and protective efficacy); EPI vaccines; Supply and Price; Vaccination Services (including clinic locations, booking methods, and operating hours); adverse events following immunization (AEFI); Contraindications (contraindicated scenarios and vaccination for special populations); Vaccination Policy; Assessment Form-related; and COVID-19-related (Supplementary Tables S1–S2, available at <https://weekly.chinacdc.cn/>). Assessment form-related inquiries were the most frequent, accounting for 24,911 calls (32.71%), followed by vaccination services at 15,387 calls (20.21%) and vaccination policies at 15,026 calls (19.73%) (Figure 4).

## DISCUSSION

This study represents the first long-term, continuous longitudinal analysis of government immunization consultation hotline calls in China, encompassing over 70,000 calls recorded in Suzhou between 2018 and 2024. The dataset serves as a measure of the overall effectiveness of immunization program hotlines, while also reflecting the concerns and advice-seeking behavior of self-initiated callers (6). Word cloud analysis and vaccine consultation frequency trend classification identified human papillomavirus vaccines (HPV), rabies vaccines (RV), and 13-valent pneumococcal conjugate vaccines (PCV13) as the hotspot vaccines. This pattern likely stems from early supply shortages and heightened public interest, both of which initially drove inquiry volumes upward, whereas subsequent supply stabilization and improved public health awareness contributed to a gradual decline in consultation volume (7).

In China, all childcare institutions, kindergartens, and primary schools are required to verify the vaccination certificates of newly enrolled children. Suzhou introduced digital support for this verification






FIGURE 3. Frequency trend classification of consulted vaccines in Suzhou, 2018–2024. (A) Pediatric-related vaccines; (B) Adult-related vaccines.

Abbreviation: 2vHPV=2-valent Human Papillomavirus vaccine; 4vHPV=4-valent Human Papillomavirus vaccine; 9vHPV=9-valent Human Papillomavirus vaccine; CV=Cholera vaccine; DV=Dengue vaccine; HF=Hemorrhagic Fever vaccine; HepB=Hepatitis B vaccine; HEV=Hepatitis E vaccine; HZV=Herpes Zoster vaccine; IV=Influenza vaccine; MV=Malaria vaccine; MR=Measles and Rubella vaccine; MenV=Meningococcal vaccine; PV=Plague vaccine; RV=Rabies vaccine; TyV=Typhoid vaccine; VV=Varicella vaccine; YFV=Yellow Fever vaccine.

### China CDC Weekly




FIGURE 4. Annual trends in hotline call categories in Suzhou City, Jiangsu Province, China, 2018–2024.

Abbreviation: EPI=expanded program on immunization; AEFI=adverse events following immunization; COVID-19=coronavirus disease 2019.

consultation volumes began to decline steadily from 2020 onward. This downward trend indicates that the assessment form evaluation system has been progressively refined, thereby enhancing service accessibility (8–10). Nevertheless, vaccination certificate consultations remain a perennial focal point each year, owing to Suzhou’s large floating population, whose newly arrived children require card registration and file establishment upon entry into the city’s school system.

Vaccination services — encompassing the distribution of vaccination clinics, booking methods, and operating hours — along with non-EPI vaccines, including vaccination knowledge, vaccine safety, and protective efficacy, accounted for the most frequent consultation categories in 2020. This pattern is largely attributable to COVID-19-related disruptions, such as the suspension of clinic vaccination services and insufficient vaccine supplies during the pandemic. In Cambodia, the Hotline 115 system played a pivotal role in CCDC’s response to and management of the COVID-19 pandemic (11). Consultations regarding vaccination policies emerged as the most frequent category in 2021, particularly those related to the

implementation of relevant pandemic policies (12). Following 2020, the volume of immunization consultation hotline calls trended downward — a shift likely driven by the rapid advancement of the internet and digitalization, which has granted the public access to a diverse range of vaccination-related information channels (e.g., vaccination appointment mini-programs and WeChat Official Accounts), alongside optimized service delivery. The trends observed in vaccination services and vaccination policies reflect dynamic public demands, as well as the timeliness and effectiveness of local immunization service improvements, both of which may contribute to greater public willingness to vaccinate. Studies have demonstrated that enhanced vaccination knowledge among child guardians positively reduces vaccine hesitancy (13–14). The hotline therefore plays an indispensable role in immunization program communication, with staff professionalism and service quality serving as key factors in building public trust. Effective communication fosters a virtuous cycle of engagement — and over the years, our hotline service has earned widespread acclaim across all sectors of society.

This study has several limitations. The

immunization consultation hotline relies exclusively on verbal communication, which precludes the transmission of supplementary information such as text and images. Furthermore, consultations are constrained by call duration, and callers may face queuing delays during peak hours.

The hotline has supported immunization program across multiple dimensions. The declining call volume reflects positive feedback on improvements in work quality and efficiency, rather than a diminishment of service value. As social informatization continues to advance, public expectations for health service quality are rising, and vaccination concerns evolve alongside shifting public opinion trends (13). It is therefore essential to build professional, high-performing vaccination service teams and to deliver multi-channel, diversified consultation services capable of providing refined, personalized support. To this end, we propose the following practical recommendations: 1) strengthening the professional knowledge and competency of staff; 2) establishing a knowledge base for high-concern topics; 3) optimizing and expanding digital service platforms; and 4) intensifying public health education efforts. Together, these measures will enhance immunization service quality and advance public health outcomes in Suzhou.

**Conflicts of interest:** No conflicts of interest.

**Funding:** Supported by Gusu Health Talents Program: (No.2022127); Suzhou Association for Science and Technology young science and technology personnel lift project (No.127).

doi: 10.46234/ccdcw2026.057

\* Corresponding author: Na Liu, [liuna@szcdc.cn](mailto:liuna@szcdc.cn).

<sup>1</sup> Immunization Program Department, Suzhou Center for Disease Control and Prevention, Suzhou City, Jiangsu Province, China; <sup>2</sup> National Immunization Program, Chinese Center for Disease Control and Prevention & Chinese Academy of Preventive Medicine, Beijing, China.

Copyright © 2026 by Chinese Center for Disease Control and Prevention. All content is distributed under a Creative Commons Attribution Non Commercial License 4.0 (CC BY-NC).

Submitted: January 04, 2026

Accepted: March 08, 2026

Issued: March 20, 2026

## REFERENCES

1. Yu WZ, Wang FZ, Wen N, Li YX, Zheng H, Shi JJ, et al. The National Immunization Program helped boost health for all in the decade of new Health Care Reform in China. *Chin J Vaccines Immun* 2020;26(5):602 – 6. <https://doi.org/10.19914/j.cjvi.2020.05.025>.
2. Huang Y, Song YD, Li JH, Wang YM, Zeng X, Ma C, et al. Survey on immunization services for children with medical conditions — China, 2022. *China CDC Wkly* 2023;5(19):419 – 23. <https://doi.org/10.46234/ccdcw2023.079>.
3. World Health Organization. Immunization agenda 2030: a global strategy to leave no one behind. 2020. <https://www.who.int/teams/immunization-vaccines-and-biologicals/strategies/ia2030>. [2026-1-3].
4. Yuan X. China's vaccine production scare. *Lancet* 2018;392(10145): 371. [https://doi.org/10.1016/S0140-6736\(18\)31725-2](https://doi.org/10.1016/S0140-6736(18)31725-2).
5. Lee HY, Jin SW, Henning-Smith C, Lee J, Lee J. Role of health literacy in health-related information-seeking behavior online: cross-sectional study. *J Med Internet Res* 2021;23(1):e14088. <https://doi.org/10.2196/14088>.
6. Petousis-Harris H, Goodyear-Smith F, Ram S, Turner N. The New Zealand national immunisation hotline—what are callers seeking? *Vaccine* 2005;23(42):5038-44. <http://dx.doi.org/10.1016/j.vaccine.2005.03.053>.
7. Wang FZ, Cao L, Li KL, Zhang GM, Hao LX, Ma C, et al. Technical and implementation guidelines for the introduction of human papillomavirus vaccine into China's national immunization program. *China CDC Wkly* 2025;7(50):1545 – 8. <https://doi.org/10.46234/ccdcw2025.262>.
8. Luan L, Liu N, Zhu J, Zhu YH, Zhang J, Xu J, et al. Effectiveness of an information system for inspecting immunization certificates of children entering kindergartens and schools in Suzhou city of Jiangsu province. *Chin J Vaccines Immun* 2017;23(6):685 – 8. <https://doi.org/10.19914/j.cjvi.2017.06.019>.
9. Ye JK, Liu LJ, Cao L, Yu WZ, Yin ZD. Vaccination certificate examination for kindergarten and primary school entry in China, 2021. *Chin J Vaccines Immun* 2023;29(1):6 – 12. <https://doi.org/10.19914/j.CJVI.2023002>.
10. Yu QS, Ye JK, Cao L, Li L, Song YF, Wang XY, et al. A descriptive analysis of vaccination certificate examination data for children entering kindergarten and primary school in China, 2021 to 2023. *Chin J Vaccines Immun* 2024;30(6):623 – 8. <https://doi.org/10.19914/j.CJVI.2024102>.
11. Lan CS, Sok S, Chheang K, Lan DM, Soung V, Divi N, et al. Cambodia national health hotline - Participatory surveillance for early detection and response to disease outbreaks. *Lancet Reg Health West Pac* 2022;29:100584. <https://doi.org/10.1016/j.lanwpc.2022.100584>.
12. Pan TY, Fan KS, Guan HW, Hao YH, Liu YN, Zhu YF. Vaccine hesitation and its influencing factors among adult citizens during a major public health emergency—an online survey in five provincial-level administrative divisions, China. *Chin J Public Health* 2023;39(11): 1438 – 43. <https://doi.org/10.11847/zgggws1141976>.
13. Liu XX, Yu WZ, Yin ZD, Rodewald L, Song YF, Zhang ZN, et al. Vaccine events raising public concern and associated immunization program policy and practice changes, China, 2005-2021. *Vaccine* 2022;40(18):2561 – 7. <https://doi.org/10.1016/j.vaccine.2022.03.035>.
14. Xu BY, Long J, Bai NP, Liu Y, Li JQ, Wang Q. Vaccine hesitancy and its influencing factors among guardians of children 0-6 years of age in Chongqing, 2023. *Chin J Vaccines Immun* 2024;30(2):155 – 9. <https://doi.org/10.19914/j.CJVI.2024023>.

## SUPPLEMENTARY MATERIAL

SUPPLEMENTARY TABLE S1. List of abbreviations.

Academic full name	Abbreviation
2-valent Human Papillomavirus vaccine	2vHPV
4-valent Human Papillomavirus vaccine	4vHPV
9-valent Human Papillomavirus vaccine	9vHPV
Cholera vaccine	CV
Dengue vaccine	DV
Hemorrhagic Fever vaccine	HF
Hepatitis B vaccine	HepB
Hepatitis E vaccine	HepE
Herpes Zoster vaccine	HZV
Influenza vaccine	IV
Meningococcal vaccine	MenV
Measles and Rubella vaccine	MR
Malaria vaccine	MV
Plague vaccine	PV
Rabies vaccine	RV
Typhoid vaccine	TyV
Varicella vaccine	VV
Yellow Fever vaccine	YFV

SUPPLEMENTARY TABLE S2. Frequently asked questions.

Category description	Example
Assessment form	How to update Assessment form information? How to download and print the assessment form?
Expanded program on immunization (EPI)	How to get vaccinated in Suzhou for children from other cities? I would like information on MMR. My child is due for it, but I am feeling unsure.
Non-expanded program on immunization (Non-EPI)	Is vaccination with non-EPI vaccines necessary?
Supply and Price	What is the cost of 9-valent HPV/DTaP-IPV-Hib vaccine?
Vaccination services	Opening hours of vaccination clinics
Adverse events following immunization (AEFI)	This child had DTaP-IPV-Hib at 3 months and had fever, how to manage? Should he have the next DTaP-IPV-Hib?
Contraindications	My child has Kawasaki, so does he get the Flu Vac?
Policy and Science Popularization	I was wanting to know who we can give HPV free to?
COVID-19 related	Where to get COVID-19 vaccine?